



# Pipelining Catalog

## Customized Price List for

**Our ref:** USRRP2-FT  
**Customer:**  
**Email Address:**  
**Date:** 29/04/2014  
**Currency:** \$ - US Dollar  
**Length unit** Feet  
**Weight unit** Lbs

## Gadliner

### The "Do It All" 3mm thick Pull In Place Liner.

The "Do It All" 3mm thick Drag In Liner. Perfect compromise between ease of wet out- ease of pulling in and ability to line round moderate 22 degree bends. All round bestseller around most parts of the world for "Pull in Place n Invert" Applications



Product Name	Rate	RRP	Qty	Keycode
Gadliner 4" (100mm)	5.20	5.20	1.00	B-1-7
Gadliner 6" (150mm)	7.48	7.48	1.00	B-1-7
Gadliner 8" (200mm)	14.96	14.96	1.00	A-14-21
Gadliner 9" (225mm)	16.67	16.67	1.00	A-14-21


[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Gadliner/Gadliner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Gadliner/Gadliner.htm)

## Bullseyeliner

### A Limited Longitudinal Stretch Liner for Inversion

A Limited Longitudinal Stretch (at 3 psi (0.2 bar)- 3mm thick- Semi Elastic- Felt Drain Liner designed with Dimensional stability when inverted- yet Flexible enough to go round 90 degree bends. A liner designed to give the best of both worlds !!



Product Name	Rate	RRP	Qty	Keycode
Bullseyeliner 4" (100mm)	4.99	4.99	1.00	B-1-7
Bullseyeliner 5" (125mm)	7.88	7.88	1.00	B-1-7
Bullseyeliner 6" (150mm)	7.96	7.96	1.00	B-1-7
Bullseyeliner 8" (200mm)	8.31	8.31	1.00	B-1-14
Bullseyeliner 9" (225mm)	13.09	13.09	1.00	B-1-14
Bullseyeliner_BULK SAVER_1000_feet 4" (100mm)	3.98	3.98	1.00	W-1-7
Bullseyeliner_BULK SAVER_1000_feet 6" (150mm)	6.19	6.19	1.00	W-1-7


[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Bullseyeliner/Bullseyeliner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Bullseyeliner/Bullseyeliner.htm)

## Do It All Liner

### The Most Versatile Liner Ever !

This liner is the one compromise liner that does it all, save all the confusion !!. It works on cast, clay and plastic, does bend or straights, does verticals with bends or underground pipe with structural 4mm strength, stable on length, can be used for pull-in-place or inversion, even remote starts. It gives a 3 - 4 mm thick finish depending on pinch roller setting, works with polyester, silicates and epoxy resin, may be adapted for remote starts through cleanouts or site transition pieces...Basically it does it All !!!



Product Name	Rate	RRP	Qty	Keycode
Do_It_All_Liner 3" (75mm)	5.03	5.03	1.00	B-1-7
Do_It_All_Liner 4" (100mm)	6.25	6.25	1.00	B-1-7
Do_It_All_Liner 5" (125mm)	7.47	7.47	1.00	B-1-7
Do_It_All_Liner 6" (150mm)	8.69	8.69	1.00	B-1-7
Do_It_All_Liner 8" (200mm)	11.14	11.14	1.00	B-1-7

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Do\\_It\\_All\\_Liner/Do\\_It\\_All\\_Liner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Do_It_All_Liner/Do_It_All_Liner.htm)

## Branchliner

### **A Push in Place Lining system for Short Side Branch Connections**

A 3mm thick Push in Place Liner with inner black rubber tube. The configuration from inside to outside is as follows: Pull tape, Coated fleece with fully bonded coating on the inside ( for easy release and plastic finish) and on outside 3mm thick absorbent fleece to allow resin migration to host pipe; Outer tube to allow easy and clean wet out with resin. This simple to use assembly enables superfast Liner installation round 90 degree bends to even the novice, without any special equipment. Product comes with free supply of equivalent length of black rubber Nitrotube



Product Name	Rate	RRP	Qty	Keycode
Branchliner 3" (75mm)	12.43	12.43	1.00	B-1-7
Branchliner 4" (100mm)	12.50	12.50	1.00	B-1-7

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Branchliner/Branchliner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Branchliner/Branchliner.htm)

## Bendiliner

### **An Elastic 2mm thick Inversion Liner for Multiple Bends and Transitions.**

A Super Elastic- 2mm thick- non structural Liner - manufactured with the right combination of properties to allow easy inversion round multiple 90 degree bends.



Product Name	Rate	RRP	Qty	Keycode
Bendiliner 2" (50mm)	5.29	5.29	1.00	A-7-21
Bendiliner 3" (75mm)	5.98	5.98	1.00	A-7-21
Bendiliner 4" (100mm)	6.77	6.77	1.00	A-7-21

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Bendiliner/Bendiliner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Bendiliner/Bendiliner.htm)

## Ultraflexliner

### **Elastic Inversion Liner for Multiple Bends**

Our most Elastic knitted Liner designed for Direct inversion with tie off. It negotiates round bends with as little as 5 psi (0.3 bar). It gives a functional finish round most bends and costs a fraction of other woven or knitted products. Great compromise product.



Product Name	Rate	RRP	Qty	Keycode
Ultraflexliner 4" (100mm)	8.66	8.66	1.00	A-14-21
Ultraflexliner 6" (150mm)	8.90	8.90	1.00	A-14-21

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Ultraflexliner/Ultraflexliner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Ultraflexliner/Ultraflexliner.htm)

## Transitionliner

### **An Elastic- 4mm thick Inversion Liner for Multiple Bends and Transitions.**

An Elastic- 4mm thick- knitted Inversion Liner- manufactured with the right combination of properties to allow easy inversion round multiple 90 degree bends. It offers a true 4mm thick lateral drain liner. The liner negotiates effortlessly round 90 degree bends in drain pipes with minimal wrinkling- yet it is relatively stable on longitudinal stretch. Must be used with calibration tube.



[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Transitionliner/Transitionliner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Transitionliner/Transitionliner.htm)

Product Name	Rate	RRP	Qty	Keycode
Transitionliner 5" (100 - 150mm)	8.15	8.15	1.00	B-1-7

## Transition Liner Piece

### **Save \$\$\$ on Transitions - Do It Yourself**

A site applied Transition Kit that reduces end-of-roll waste down to a minimum as you are able to make-to-measure your own transition liners in the field in minutes. Braze both ends to the required length of 4, 5 or 6 inch, using an off-the-shelf propane torch brazing. Once attached apply a 2 inch wide seam tape round the joints created using our proprietary pvc cement. Both seam tape and pvc glue are supplied in the kit.



[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Transition\\_Liner\\_Piece/Transition\\_Liner\\_Piece.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Transition_Liner_Piece/Transition_Liner_Piece.htm)

Product Name	Rate	RRP	Qty	Keycode
Transition_Liner_Piece 4" - 6" (100 - 150mm)	83.53	83.53	1.00	W-1-7
Transition_Liner_Piece 6" - 8" (150 - 200mm)	87.24	87.24	1.00	W-1-7

## Transition Cal Piece

### **Tailor-made Transition Cal Tube for optimal performance**

A site applied Transition Cal Tube that reduces end-of-roll waste down to a minimum as you are able to make-to-measure your own transition Cal tube in the field in minutes. Using cement glue provided attach both ends to the required length of 4, 5 or 6 inch.



[Click below for further information >>>](#)


[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Transition\\_Cal\\_Piece/Transition\\_Cal\\_Piece.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Transition_Cal_Piece/Transition_Cal_Piece.htm)

Product Name	Rate	RRP	Qty	Keycode
Transition_Cal_Piece 4" - 6" (100 - 150mm)	39.35	39.35	1.00	W-1-7
Transition_Cal_Piece 6" - 8" (150 - 200mm)	39.55	39.55	1.00	W-1-7

## Meshliner

### **A Medium duty Scrim reinforced Inversion Liner.**

A medium duty- 3mm Structural Liner- with virtually "No Stretch" at 5psi due to the built-in scrim reinforcement designed to restrict longitudinal stretch. It has a relatively soft coating to allow for easy insertion by the Inversion method.



[Click below for further information >>>](#)


[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Meshliner/Meshliner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Meshliner/Meshliner.htm)

Product Name	Rate	RRP	Qty	Keycode
Meshliner 4" (100mm)	3.59	3.59	1.00	A-14-28
Meshliner 5" (125mm)	4.07	4.07	1.00	A-14-28
Meshliner 6" (150mm)	4.89	4.89	1.00	A-14-28
Supermeshliner 6" (150mm)	5.38	5.38	1.00	A-14-28
Supermeshliner 8" (200mm)	6.97	6.97	1.00	A-14-28
Supermeshliner 9" (225mm)	7.84	7.84	1.00	A-14-28
Meshliner_BULK SAVER_1000_feet 4" (100mm)	3.54	3.54	1.00	W-14-28
Supermeshliner_BULK SAVER_1000_feet 6" (150mm)	5.31	5.31	1.00	W-14-28

## Pitchliner

### **A heavy duty- Single Layer 4.5mm Structural Inversion Liner.**

A heavy duty- 4.5mm thick Liner with a relatively soft coating to allow for easy insertion by the inversion method. The Liner is ideal for the relining of lateral pipes with little or no residual strength or pipes surcharged with additional loads such as groundwater infiltration.



[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Pitchliner/Pitchliner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Pitchliner/Pitchliner.htm)

Product Name	Rate	RRP	Qty	Keycode
Pitchliner 6" (150mm)	7.33	7.33	1.00	A-14-28
Pitchliner 8" (200mm)	7.61	7.61	1.00	A-14-28
Pitchliner 9" (225mm)	8.56	8.56	1.00	A-14-28
Pitchliner 10" (250mm)	9.51	9.51	1.00	A-14-28
Pitchliner 12" (300mm)	11.41	11.41	1.00	A-14-28
Pitchliner 15" (375mm)	14.26	14.26	1.00	A-14-28

## Vertaliner

### **A Single layer- heavy duty- 6mm thick Structural Inversion Liner**

A Single layer- heavy duty- 6mm thick Structural Liner with a relatively soft coating to allow for easy insertion. By virtue of being a single layer liner- it enables easy site wet out and handling.



[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Vertaliner/Vertaliner.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Vertaliner/Vertaliner.htm)

Product Name	Rate	RRP	Qty	Keycode
Vertaliner 8" (200mm)	10.14	10.14	1.00	A-14-28
Vertaliner 9" (225mm)	11.41	11.41	1.00	A-14-28
Vertaliner 10" (250mm)	12.68	12.68	1.00	A-14-28
Vertaliner 12" (300mm)	15.21	15.21	1.00	A-14-28
Vertaliner 15" (375mm)	19.02	19.02	1.00	A-14-28

## Mediumtube

**A Do-It-All bladder with a unique blend of high burst strength yet easy to Invert.**

A Do-It-All bladder with a unique blend of high burst strength yet easy to Invert. The bladder is prelubricated to enable easier inversion and just as importantly- easier retraction



Product Name	Rate	RRP	Qty	Keycode
Mediumtube 3" (75mm)	2.85	2.85	1.00	B-1-7
Mediumtube 4" (100mm)	2.99	2.99	1.00	B-1-7
Mediumtube 6" (150mm)	3.99	3.99	1.00	B-1-7
Mediumtube 8" (200mm)	5.07	5.07	1.00	B-1-7
Mediumtube_BULK_SAVER_1000_feet 4" (100mm)	1.97	1.97	1.00	W-1-7
Mediumtube_BULK_SAVER_1000_feet 6" (150mm)	2.64	2.64	1.00	W-1-7


[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Mediumtube/Mediumtube.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Mediumtube/Mediumtube.htm)

## Visutube

**A Translucent bladder with a unique blend of high burst strength yet easy to Invert.**

A Translucent bladder with a unique blend of high burst strength yet easy to Invert. May be used for double inversion (inverting Liner and Cal tube together) as it allows vision of the wet out progress. The translucency also enables CCTV vision on single enders



Product Name	Rate	RRP	Qty	Keycode
Visutube 2" (50mm)	4.36	4.36	1.00	B-14-28
Visutube 2.5" (63mm)	4.57	4.57	1.00	B-14-28
Visutube 3" (75mm)	4.34	4.34	1.00	B-14-28
Visutube 4" (100mm)	4.48	4.48	1.00	B-14-28
Visutube 5" (125mm)	5.17	5.17	1.00	B-14-28
Visutube 6" (150mm)	5.48	5.48	1.00	B-14-28
Visutube 8" (200mm)	5.48	5.48	1.00	A-14-28
Visutube 9" (225mm)	6.16	6.16	1.00	A-14-28

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Visutube/Visutube.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Visutube/Visutube.htm)

## Visuflextube

**A Steam Resistant Flexible PU coated Translucent bladder yet easy to Invert.**

A PU coated Translucent bladder with a unique blend of high burst strength yet easy to Invert. May be used for double inversion (inverting Liner and Cal tube together) as it allows vision of the wet out progress. The translucency also enables CCTV vision on single enders



Product Name	Rate	RRP	Qty	Keycode
Visuflextube 4" (100mm)	4.75	4.75	1.00	B-14-28
Visuflextube 5" (125mm)	5.55	5.55	1.00	B-14-28
Visuflextube 6" (150mm)	6.42	6.42	1.00	B-14-28

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Visuflextube/Visuflextube.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Visuflextube/Visuflextube.htm)

## Thermotube

**A Medium Duty Bladder stitched to deliver Heavy duty strength even at High Temps**

A Medium thick- High Temperature Resistant Bladder stitched to deliver Ultra Heavy duty strength. Designed for those not willing to compromise on the burst strength of the bladder



Product Name	Rate	RRP	Qty	Keycode
Thermotube 4" (100mm)	3.59	3.59	1.00	A-14-28
Thermotube 5" (125mm)	4.48	4.48	1.00	A-14-28
Thermotube 6" (150mm)	4.89	4.89	1.00	A-14-28
Thermotube 8" (200mm)	5.22	5.22	1.00	A-14-28
Thermotube 9" (225mm)	5.28	5.28	1.00	A-14-28
Thermotube_BULK_SAVER_1000_feet 4" (100mm)	2.15	2.15	1.00	W-14-28
Thermotube_BULK_SAVER_1000_feet 6" (150mm)	2.93	2.93	1.00	W-14-28

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Thermotube/Thermotube.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Thermotube/Thermotube.htm)

## Arcticrez

**No need to Freeze Production in Cold Weather !**

A resin developed for high productivity in sub-zero weather. Resin is based on an in-built "chemical heater" molecularly hidden away in Part A. Once A and B are mixed the "heater" cuts in after 60 minutes of working time and generates up to 0.5 million BTU of heat. This heat is used to speed up the the reaction between Part A and B even in 0 degree C weather. This resin may be used for Lateral Liners or Points Repairs.



Product Name	Rate	RRP	Qty	Keycode
Arcticrez 5 gallon ( 44 lbs )	8.44	8.44	44	A-1-7
Arcticrez 240 gallon Tote ( 2203 lbs )	4.22	4.22	2202	A-7-45

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Arcticrez/Arcticrez.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Arcticrez/Arcticrez.htm)

## Slowrez

**Summer Resin. Give maximum working time of up to 4 hours.**

Summer Resin. Give maximum working time of up to 4 hours yet cures quickly below ground with or without assistance of heat. Ideal for long shots or work in Summer. Formerly referred to as Gadres 4000



Product Name	Rate	RRP	Qty	Keycode
Slowrez 5 gallon ( 44 lbs )	9.06	9.06	44	B-1-7
Slowrez 240 gallon Tote ( 2203 lbs )	4.92	4.92	2202	A-7-45

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Slowrez/Slowrez.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Slowrez/Slowrez.htm)

## Econorez

**Forget Boilers use a Resin with a Chemical Heater !**

A high performance styrene based resin with more working time than most epoxies but yet dries 60 minutes after working time, even in lower fall temperatures. This resin does not need the addition of hot water as it has its own inbuilt chemical heater that kick in after the working time has expired.



Product Name	Rate	RRP	Qty	Keycode
Econorez 5 gallon ( 44 lbs )	5.69	5.69	44	A-1-7
Econorez 55 gallon ( 484 lbs )	3.04	3.04	484	A-1-7
Econorez_BULK_SAVER_1000lb_in 5 gallon ( 44 lbs )	4.55	4.55	44	W-1-7

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Econorez/Econorez.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Econorez/Econorez.htm)

## Fastroc

**Smell Free- Dual Purpose use for Lining or add Part C and use for Point Repairs**

Smell Free- Dual Purpose (use for Lining or add Part C and use for Point Repairs) Silicate resin. Has relatively long working Life yet cures rapidly below ground without the need for heat. May be sold with a seperately sold Part C to speed up reaction



Product Name	Rate	RRP	Qty	Keycode
Fastroc 5 gallon ( 50 lbs )	9.59	9.59	50	A-7-28

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Fastroc/Fastroc.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Fastroc/Fastroc.htm)

## Instaroc

**Industrial Grade Resin.**

Smell Free - Long working time resin with impeccable chemical resistance. Acids; Alkalis; Steam lines, bring it on !!! May be accelerated with the addition of an optional Part C for point repairs and short liners. Has relatively long working time of over 90 minutes at 65 deg F yet cures rapidly below ground with the addition of hot water dumped at 125 deg F. No need for recirculation and cool down dramas !!.



Product Name	Rate	RRP	Qty	Keycode
Instaroc 5 gallon ( 50 lbs )	10.40	10.40	50	A-7-28

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Instaroc/Instaroc.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Instaroc/Instaroc.htm)



## Magicpoxie

### Magical Epoxy that dries as fast as a Polyester

100% solids, solvent free, voc smell free, epoxy resin that will cure at -5 deg C !. The resin was designed for use in cold rooms and freezer room and has now been uniquely adapted for pipelining application. It gives a similar working time to most epoxies but dries in half the time. This is because the material has an inbuilt chemical heater that self activates after the working time. The heater generates enough heat to double the speed of the drying reaction. If you are frustrated with the idle time spent waiting for a liner to cure, this product is for you.



Product Name	Rate	RRP	Qty	Keycode
Magicpoxie 1 gallon ( 9 lbs )	8.64	8.64	8	B-7-45

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Magicpoxie/Magicpoxie.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Magicpoxie/Magicpoxie.htm)

## Aquapoxie

### Non VOC Resin for Rapid and Easy Impregnation

DOT Hazmat free bisphenol F based epoxy resin system with good low temperature curing characteristics. The resin has a relatively low viscosity for easy and rapid impregnation particularly in colder months.



Product Name	Rate	RRP	Qty	Keycode
Aquapoxie 5 gallon ( 44 lbs )	7.45	7.45	44	A-7-21
Aquapoxie_BULK_SAVER_1000_Lbs_in 5 gallon ( 44 lbs )	5.43	5.43	44	W-7-21

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Aquapoxie/Aquapoxie.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Aquapoxie/Aquapoxie.htm)

## Tropicpoxie

### Do not Sweat it no more !

VOC free epoxy for those blistering hot summer days or for those looking to reline 8 inch diameter plus sewers in normal weather. This resins gives plenty of working time in summer temps yet it dries without the need for hot water within a working shift. Thus saving on return trips to deflate etc.



Product Name	Rate	RRP	Qty	Keycode
Tropicpoxie 5 gallon ( 44 lbs )	9.70	9.70	44	B-7-45


[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Tropicpoxie/Tropicpoxie.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Tropicpoxie/Tropicpoxie.htm)

## Polymeshtube

### Reinforced Polytube for Enhanced Tear Strength

A nylon and polytube reinforced for tear strength and lubricated for easy peel off during the Pull in Place process. The high temperature resistance of the nylon helps the tube survive most high exotherm temperatures without disintegrating. The scrim reinforcement increase the tear strength by a factor of 100 X when compared to regular polytube. Why take the chance ?



Product Name	Rate	RRP	Qty	Keycode
Polymeshtube 3" (75mm)	1.71	1.71	1.00	A-14-28
Polymeshtube 4" (100mm)	2.28	2.28	1.00	A-14-28
Polymeshtube 5" (125mm)	2.85	2.85	1.00	A-14-28
Polymeshtube 6" (150mm)	3.42	3.42	1.00	A-14-28
Polymeshtube 8" (200mm)	4.56	4.56	1.00	A-14-28


[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Polymeshtube/Polymeshtube.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Polymeshtube/Polymeshtube.htm)

## Nitrotube

### 50% Expansion Rubber Tube for Pull in Place Applications

High Temperature and resin resistant (even styrene based resins) nitrile rubber tube used by some for Pull-in-Place application. The tube expands by 50% to give a great finish around bends. Product must be kept supported outside the pipe as it is not reinforced. In addition must have strain relief to prevent longitudinal expansion.



Product Name	Rate	RRP	Qty	Keycode
Nitrotube 1.5" - 2" (40 -50mm)	3.46	3.46	1.00	A-7-45
Nitrotube 2" - 3" (55 -75mm)	4.41	4.41	1.00	A-7-45
Nitrotube 3" - 4" (75 -100mm)	4.56	4.56	1.00	A-7-45
Nitrotube 6" - 8" (150 -200mm)	6.99	6.99	1.00	A-7-45

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Nitrotube/Nitrotube.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Nitrotube/Nitrotube.htm)

## Pull Tape

### Pulling Rope

High Strength Low Profile Nylon reinforced Pulling Rope



Product Name	Rate	RRP	Qty	Keycode
Pull_Tape x 2500 lbs rated x 164 ft (50m)	99.00	99.00	1.00	A-14-28
Pull_Tape x 2500 lbs rated x 3000 ft (900m)	742.50	742.50	1.00	A-14-28


[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Pull\\_Tape/Pull\\_Tape.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Pull_Tape/Pull_Tape.htm)

## Sheetex Glass Sheet

**Stop Wasting Money cutting your Fiber glass matting buy 150 feet in Bulk**

Slash your wastage costs by purchasing your Bulk fiberglass in predetermined width. Take the gueswork out of sizing and save on the odd bits that usually end up in the bin. Sheetex glass is supplied in with to match with standard pipe sizes.



Product Name	Rate	RRP	Qty	Keycode
Sheetex_Glass_Sheet 4" (100mm)	2.54	2.54	1.00	D-1-14
Sheetex_Glass_Sheet 6" (150mm)	3.80	3.80	1.00	D-1-14
Sheetex_Glass_Sheet 8" (200mm)	5.07	5.07	1.00	D-1-14
Sheetex_Glass_Sheet 9" (225mm)	5.70	5.70	1.00	D-1-14
Sheetex_Glass_Sheet 10" (250mm)	6.34	6.34	1.00	D-1-14
Sheetex_Glass_Sheet 12" (300mm)	7.61	7.61	1.00	D-1-14
Sheetex_Glass_Sheet 15" (375mm)	9.51	9.51	1.00	D-1-14

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Sheetex\\_Glass\\_Sheet/Sheetex\\_Glass\\_Sheet.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Sheetex_Glass_Sheet/Sheetex_Glass_Sheet.htm)

## Easy Cast Tube

**A woven fiber glass tube used for Trenchless Spot Lining Repairs .**

After all a Point Repair is a Tube - so why not use a tubular glass structure in the first. By virtue of having a tube you can attach the reinforcement to your packer in a dry state and truly lock it in place to avoid slippage or bunching up when transported over displacements and joint.



Product Name	Rate	RRP	Qty	Keycode
Easy_Cast_Tube 2" (50mm)	5.43	5.43	1.00	D-1-14
Easy_Cast_Tube 3" (75mm)	8.15	8.15	1.00	D-1-14
Easy_Cast_Tube 4" (100mm)	10.87	10.87	1.00	D-1-14
Easy_Cast_Tube 6" (150mm)	16.30	16.30	1.00	D-1-14
Easy_Cast_Tube 8" (200mm)	21.73	21.73	1.00	D-1-14
Easy_Cast_Tube 9" (225mm)	24.45	24.45	1.00	D-1-14

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Easy\\_Cast\\_Tube/Easy\\_Cast\\_Tube.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Easy_Cast_Tube/Easy_Cast_Tube.htm)

## Polytube

**Do not go out without your Raincoat ...**

High strength olefin plastic used as a protective barrier and a peel slip for Partial Pipe Repairs.



Product Name	Rate	RRP	Qty	Keycode
Polytube x 3" (75mm) x 328 ft (99m)	106.92	106.92	1.00	A-7-21
Polytube x 4" (100mm) x 328 ft (99m)	112.86	112.86	1.00	A-7-21
Polytube x 6" (150mm) x 328 ft (99m)	124.74	124.74	1.00	A-7-21
Polytube x 8" (200mm) x 328 ft (99m)	136.62	136.62	1.00	A-7-21
Polytube x 9" (225mm) x 328 ft (99m)	142.55	142.55	1.00	A-7-21
Polytube x 10" (250mm) x 328 ft (99m)	148.49	148.49	1.00	A-7-21
Polytube x 12" (300mm) x 328 ft (99m)	160.37	160.37	1.00	A-7-21
Polytube x 15" (375mm) x 328 ft (99m)	178.19	178.19	1.00	A-7-21

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Polytube/Polytube.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Polytube/Polytube.htm)

## Econo Push Rod

### Continuous Push Air Rod system

Continuous Hollow Fiberglass Rod assembly on a Reel with instant connect fitting for connection to a compressor and instant connect fittings to connect to the Packer spine supplied by us. The rod is 50 feet long (15m) and is flexible enough to go down most clean-outs yet stiff enough to push packers down a long distance.



Product Name	Rate	RRP	Qty	Keycode
Econo_Push_Rod x 1 off	1485.00	1485.00	1.00	A-14-28

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Econo\\_Push\\_Rod/Econo\\_Push\\_Rod.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Econo_Push_Rod/Econo_Push_Rod.htm)

## Packer Spine

### Create your Own DIY Packer with variable length !

The central spine of the do-it-yourself packer. It is supplied at 10 foot long and consist of a hollow rod section connected to a pair of ends caps on either side. The end caps have a quick connect Inflation port at the back end for connection to a compressor or our Econo Push Rod, a Spring 'n' Ball at the front end for "bouncing round" bends, Towing washers for the front and back end, and an Internal threaded bolt for air feed. All you need to add is nitrotube rubber bladder and you have created you own packer.



Product Name	Rate	RRP	Qty	Keycode
Packer_Spine x 3 - 4 inch	1126.13	1126.13	1.00	A-14-21
Packer_Spine x 6 inch	1287.00	1287.00	1.00	A-14-21


[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Packer\\_Spine/Packer\\_Spine.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Packer_Spine/Packer_Spine.htm)

## Nip Roller

### Simple and Effective Impregnation Tool

The central spine of the do-it-yourself packer. It is supplied at 10 foot long and consist of a hollow rod section connected to a pair of ends caps on either side. The end caps have a quick connect Inflation port at the back end for connection to a compressor or our Econo Push Rod, a Spring 'n' Ball at the front end for "bouncing round" bends, Towing washers for the front and back end, and an Internal threaded bolt for air feed. All you need to add is nitrotube rubber bladder and you have created you own packer.



Product Name	Rate	RRP	Qty	Keycode
Nip_Roller x 150	386.10	386.10	1.00	A-14-28

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Nip\\_Roller/Nip\\_Roller.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Nip_Roller/Nip_Roller.htm)

## Clean Out Patch Combo Standard

**The Ultimate Jumbo Combo - 20 feet of Material for the Price of 6 feet ! Save 70%**

This is the Value Pack version of our 2 foot Standard Silicate non VOC Patch Kit. By purchasing in 20 or 40 feet sections you save a tremendous amount. The components glass and resin is packaged in good-to-go quantities that enable easy splitting and batching out to multiple 2 foot or more sections. Kit comes with a free supply of near lifetime quantities of accessories; gloves; wire ties; cable ties; polytube and protective mats.



Product Name	Rate	RRP	Qty	Keycode
Clean_Out_Patch_Combo_Standard x 3" (75mm) x 20 ft (6m)	1405.80	1405.80	1.00	C-7-14
Clean_Out_Patch_Combo_Standard x 4" (100mm) x 20 ft (6m)	1643.40	1643.40	1.00	C-7-14
Clean_Out_Patch_Combo_Standard x 6" (150mm) x 20 ft (6m)	1920.60	1920.60	1.00	C-7-14
Mainline_Patch_Combo_Standard x 8" (200mm) x 20 ft (6m)	1945.35	1945.35	1.00	C-7-14
Mainline_Patch_Combo_Standard x 9" (225mm) x 20 ft (6m)	2123.55	2123.55	1.00	C-7-14
Mainline_Patch_Combo_Standard x 10" (250mm) x 20 ft (6m)	2301.75	2301.75	1.00	C-7-14
Mainline_Patch_Combo_Standard x 12" (300mm) x 20 ft (6m)	2658.15	2658.15	1.00	C-7-14
Mainline_Patch_Combo_Standard x 15" (375mm) x 20 ft (6m)	3192.75	3192.75	1.00	C-7-14

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Clean\\_Out\\_Patch\\_Combo\\_Standard/Clean\\_Out\\_Patch\\_Combo\\_Standard.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Clean_Out_Patch_Combo_Standard/Clean_Out_Patch_Combo_Standard.htm)

## Clean Out Patch Combo Bendy

**\$\$\$ Discounted Jumbo Pack - Glide Round the Bend - The Most Perfect Finish !**

Premium Quality Bendy Patches in Bulk. You do not need to pay an arm and a leg for pretty boxes. Buy your Glass and Resin in Bulk and batch out according your job requirements. You can also buy your accessories and consumables in bulk see our accessories selection. Save money there too !



Product Name	Rate	RRP	Qty	Keycode
Clean_Out_Patch_Combo_Bendy x 2" (50mm) x 20 ft (6m)	1762.20	1762.20	1.00	D-7-21
Clean_Out_Patch_Combo_Bendy x 3" (75mm) x 20 ft (6m)	2296.80	2296.80	1.00	D-7-21
Clean_Out_Patch_Combo_Bendy x 4" (100mm) x 20 ft (6m)	2546.28	2546.28	1.00	D-7-21
Clean_Out_Patch_Combo_Bendy x 6" (150mm) x 20 ft (6m)	2831.40	2831.40	1.00	D-7-21
Clean_Out_Patch_Combo_Bendy x 8" (200mm) x 20 ft (6m)	4399.56	4399.56	1.00	D-7-21

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Clean\\_Out\\_Patch\\_Combo\\_Bendy/Clean\\_Out\\_Patch\\_Combo\\_Bendy.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Clean_Out_Patch_Combo_Bendy/Clean_Out_Patch_Combo_Bendy.htm)

## Branch Lining Combo

**Branch Lining Materials - Combo Saver Package**

Most plumbers would agree that possibly up 80% of defects in pipe span a local area of 2- 3 pipe joint representing 10 feet. This combo enables you to carry out fast repairs on short lengths of pipe without needing extensive training or having to use expensive or cumbersome equipment. This equipment-less system allows you to repair most pipes from the back of a sedan vehicle. The combo includes all the consumable materials required for the job namely, the liner, inflation rubber, resin and rope.



Product Name	Rate	RRP	Qty	Keycode
Branch_Lining_Combo x 3" (75mm) x 40 ft (12m)	629.64	629.64	1.00	B-7-14
Branch_Lining_Combo x 3" (75mm) x 164 ft (50m)	2153.25	2153.25	1.00	B-7-14
Branch_Lining_Combo x 4" (100mm) x 40 ft (12m)	790.02	790.02	1.00	B-7-14
Branch_Lining_Combo x 4" (100mm) x 164 ft (50m)	2821.50	2821.50	1.00	B-7-14

[Click below for further information >>>](#)

[http://www.gadmon.com/Pipe\\_Relining\\_Supplies\\_Data/Branch\\_Lining\\_Combo/Branch\\_Lining\\_Combo.htm](http://www.gadmon.com/Pipe_Relining_Supplies_Data/Branch_Lining_Combo/Branch_Lining_Combo.htm)